Computer Systems and -architecture

Regular expressions and sed

1 Ba INF 2018-2019

Stephen Pauwels stephen.pauwels@uantwerpen.be

Time Schedule

Exercises are made individually. Put all your files in a tgz archive, as explained on the course's website, and submit your solution to the exercises on Blackboard.

• Deadline: October 11, 23u55

Exercises

Fill in all regular expressions in the file **oefeningen.html**, and state clearly when you use the extended form.

- 1. Find a regular expression that matches a number at the beginning of a line.
- 2. Find a regular expression that matches filenames with a "tar.gz" extension.
- 3. Find a regular expression that matches all words of 4 characters long.
- 4. Find a regular expression that matches any number between 1 and 999.
- 5. Find a regular expression that matches dates of the form:

31/08/1933 2-03-2002 09 4 1966 15.12.1999

- 6. Find a regular expression that matches an IPv4 number (0.0.0 to 255.255.255.255).
- 7. Find a regular expression that matches hexadecimal representations of the form:
 - 0x2a 0XF 0X1111 0x0

8. Find a regular expression that matches floating point numbers. Some examples of floating points are:

12.245 -234 +.0009 3.11e33 43.1E11 2e-14

- 9. Find a regular expression that matches strings surrounded by square brackets. Beware of greedy evaluation! For example, the HTML string "Hello, this is emphasized." should match twice, for and for .
- 10. Find a Sed command that extracts HTML tags (without attributes or nested tags) from a text. A text must be converted as follows:

```
<h1>This is a valid HTML tag</h1>.
<i>These</b> <1>invalid</i> <a}>tags</a}> should be ignored.
Becomes:
This is a valid HTML tag.
<i>These</b> <1>invalid</i> <a}>tags</a}> should be ignored.
```

11. Find a sed expression to trim unnecessary whitespace [space or tab] from the start and the end of a string.