


Activity Diagrams

- describe *behaviour*
- at *high level of abstraction*
- focus on *workflows (processes/activities)*
- elegant description of *concurrency*
- can express *non-determinism*
- as of UML 2.0 based on *Petri Nets* (before: Statecharts)

Petri nets

- Formalism similar to FSA
- Graphical notation
- C.A. Petri 1960s
- Additions to FSA:
 - Explicitly (graphically) represent when event is enabled
→ describe control logic
 - Elegant notation of concurrency, synchronization
 - Express non-determinism

Order Processing Example




Petri net notation and definition (no dynamics)

$$(P, T, A, w)$$

- $P = \{p_1, p_2, \dots\}$ is a finite set of *places*
- $T = \{t_1, t_2, \dots\}$ is a finite set of *transitions*
- $A \subseteq (P \times T) \cup (T \times P)$ is a set of *arcs*
- $w : A \rightarrow \mathbb{N}$ is a *weight function*


Class Diagram model of Petri Net Abstract Syntax



Derived Entities

- $I(t_j) = \{p_i : (p_i, t_j) \in A\}$ set of *input places* to transition t_j
(\equiv conditions for transition)
- $O(t_j) = \{p_i : (t_j, p_i) \in A\}$ set of *output places* from transition t_j
(\equiv affected by transition)
- Transitions \equiv events
- similarly: input- and output-transitions for p_i
- graphical representation (concrete syntax):
Petri net graph (multigraph)

Example Petri net



- $P = \{H_2, O_2, H_2O\}$
- $T = \{t\}$
- $A = \{(H_2, t), (O_2, t), (t, H_2O)\}$
- $w((H_2, t)) = 2, w((O_2, t)) = 1, w((t, H_2O)) = 2$

Introducing State: Petri net Markings

- Conditions met ? Use *tokens* in places
- Token assignment \equiv *marking* x

$$x : P \rightarrow \mathbb{N}$$

- A marked Petri net

$$(P, T, A, w, x_0)$$

x_0 is the *initial marking*

- The *state* \mathbf{x} of a marked Petri net

$$\mathbf{x} = [x(p_1), x(p_2), \dots, x(p_n)]$$

Number of tokens need not be bounded (cfr. State Automata states).

State Space of Marked Petri net


- All n -dimensional vectors of nonnegative integer markings

$$X = \mathbb{N}^n$$

- Transition $t_j \in T$ is *enabled* if

$$x(p_i) \geq w(p_i, t_j), \forall p_i \in I(t_j)$$

Example with marking, enabled



Petri Net Dynamics

State Transition Function f of marked Petri net (P, T, A, w, x_0)

$$f : \mathbb{N}^n \times T \rightarrow \mathbb{N}^n$$

is defined for transition $t_j \in T$ if and only if

$$x(p_i) \geq w(p_i, t_j), \forall p_i \in I(t_j)$$


If $f(\mathbf{x}, t_j)$ is defined, set $\mathbf{x}' = f(\mathbf{x}, t_j)$ where

$$x'(p_i) = x(p_i) - w(p_i, t_j) + w(t_j, p_i)$$


- State transition function f based on *structure* of Petri net
- Number of tokens *need not be conserved* (but can)

Example “firing”


- Sequential Manual execution
- Transition: $[2, 2, 0] \rightarrow [0, 1, 2]$




Fork




Join



Conflict, choice, decision




Concurrency



Semantics

- *sequential vs. parallel*
- Handle nondeterminism:
 1. User choice
 2. Priorities
 3. Probabilities (Monte Carlo)
 4. Reachability Graph (enumerate all choices)

Application: Critical Section



Reachability Graph

